◆IEEE

Membership Publications/Services Standards Conferences Careers/Jobs

IEEE Xplore®

Welcome
United States Patent and Trademark Office

» Se:

Help   FAQ   Terms   IEEE Peer Review | Quick Links ▼ |

Welcome to IEEE Xplore®

○ Home
○ What Can
   I Access?
○ Log-out

Tables of Contents

○ Journals
   & Magazines
○ Conference
   Proceedings
○ Standards

Search

○ By Author
○ Basic
○ Advanced
○ CrossRef

Member Services

○ Join IEEE
○ Establish IEEE
   Web Account
○ Access the
   IEEE Member
   Digital Library

IEEE Enterprise

○ Access the
   IEEE Enterprise
   File Cabinet

▭ Print Format

Your search matched **25** of **1138071** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enteri
new one in the text box.

| (delta<near/1>sigma)<and>(bandpass or bpf)<and>c | Search |

▢ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

---

1 **A bandpass ΣΔ modulator with 92 dB SNR and center frequency continuously programmable from 0 to 70 MHz**
Raghavan, G.; Jensen, J.F.; Walden, R.H.; Posey, W.P.;
Solid-State Circuits Conference, 1997. Digest of Technical Papers. 44th ISSCC 1997 IEEE International , 6-8 Feb. 1997
Pages:214 - 215, 459

[Abstract]   [PDF Full-Text (1436 KB)]   **IEEE CNF**

---

2 **Narrow-band variable center frequency single-loop and multistage sigma-delta modulators for bandpass signals**
Al-Janabi, M.; Kale, I.; Morling, R.C.S.;
Instrumentation and Measurement, IEEE Transactions on , Volume: 48 , Issue 5 , Oct. 1999
Pages:873 - 877

[Abstract]   [PDF Full-Text (120 KB)]   **IEEE JNL**

---

3 **InP HBT continuous time 2nd order bandpass ΔΣ modulator and 1-t DEMUX IC with center frequency continuously programmable from 0 t Mhz**
Jensen, J.F.; Raghavan, G.; Stanchina, W.; Walden, R.H.; Hafizi, M.; Sun, H.C Kardos, M.; Brown, Y.K.; Montes, M.E.;
Indium Phosphide and Related Materials, 1997., International Conference on , 15 May 1997
Pages:237 - 240

[Abstract]   [PDF Full-Text (364 KB)]   **IEEE CNF**

---

4 **Low-voltage high-speed switched-capacitor circuits without voltage**

bootstrapper
Lei Wang; Embabi, S.H.K.;
Solid-State Circuits, IEEE Journal of , Volume: 38 , Issue: 8 , Aug. 2003
Pages:1411 - 1415

[Abstract]   [PDF Full-Text (437 KB)]   **IEEE JNL**

---

5 Superconducting bandpass ΔΣ modulator with 2.23 GHz center frequency and 42.6 GHz sampling rate
Bulzacchelli, J.F.; Hae-Seung Lee; Misewich, J.A.; Ketchen, M.B.;
Solid-State Circuits Conference, 2002. Digest of Technical Papers. ISSCC. 200
IEEE International , Volume: 1 , 3-7 Feb. 2002
Pages:188 - 459 vol.1

[Abstract]   [PDF Full-Text (387 KB)]   **IEEE CNF**

---

6 A new SC differentiator for two-path bandpass /spl Delta//spl Sigm modulator design
Lei Wang; Embabi, S.H.K.;
Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactic
[see also Circuits and Systems II: Express Briefs, IEEE Transactions on] , Volu
49 , Issue: 11 , Nov. 2002
Pages:728 - 732

[Abstract]   [PDF Full-Text (337 KB)]   **IEEE JNL**

**7 Superconducting bandpass /spl Delta//spl Sigma/ modulator with :
GHz center frequency and 42.6-GHz sampling rate**
Bulzacchelli, J.F.; Hae-Seung Lee; Misewich, J.A.; Ketchen, M.B.;
Solid-State Circuits, IEEE Journal of , Volume: 37 , Issue: 12 , Dec. 2002
Pages:1695 - 1702

[Abstract]   [PDF Full-Text (527 KB)]   **IEEE JNL**

---

8 An 81-MHz IF receiver in CMOS
Hairapetian, A.;
Solid-State Circuits, IEEE Journal of , Volume: 31 , Issue: 12 , Dec. 1996
Pages:1981 - 1986

[Abstract]   [PDF Full-Text (752 KB)]   **IEEE JNL**

---

9 A fourth-order bandpass delta-sigma modulator with reduced numb of op amps
Bang-Sup Song;
Solid-State Circuits, IEEE Journal of , Volume: 30 , Issue: 12 , Dec. 1995
Pages:1309 - 1315

[Abstract]   [PDF Full-Text (748 KB)]   **IEEE JNL**

---

10 Bandpass Δ-Σ modulator with frequency converters in feedback loo
Yasuda, A.; Tanimoto, H.;
Electronics Letters , Volume: 34 , Issue: 24 , 26 Nov. 1998
Pages:2293 - 2295

[Abstract]   [PDF Full-Text (340 KB)]   IEE JNL

---

11 A two-path bandpass ΣΔ modulator for digital IF extraction at 20 M
Ong, A.K.; Wooley, B.A.;
Solid-State Circuits Conference, 1997. Digest of Technical Papers. 44th ISSCC
1997 IEEE International , 6-8 Feb. 1997
Pages:212 - 213, 459

[Abstract]   [PDF Full-Text (1408 KB)]   IEEE CNF

---

12 Multibit bandpass delta-sigma modulators using N-path structures
*Schreier, R.; Temes, G.C.; Yesilyurt, A.G.; Zhang, Z.X.; Czarnul, Z.; Hairapet.
A.;*
Circuits and Systems, 1992. ISCAS '92. Proceedings., 1992 IEEE Internationa
Symposium on , Volume: 2 , 3-6 May 1992
Pages:593 - 596 vol.2

[Abstract]   [PDF Full-Text (312 KB)]   IEEE CNF

---

13 New multirate bandpass sigma-delta modulators
Colodro, F.; Torralba, A.; Vega-Leal, A.P.; Ridao, F.P.;
Circuits and Systems I: Regular Papers, IEEE Transactions on [see also Circuit
Systems I: Fundamental Theory and Applications, IEEE Transactions on] , Vol
51 , Issue: 11 , Nov. 2004
Pages:2141 - 2147

[Abstract]   [PDF Full-Text (456 KB)]   IEEE JNL

---

14 High dynamic range InP HBT delta-sigma analog-to-digital convert
Inerfield, M.; Skones, W.; Nelson, S.; Ching, D.; Cheng, P.; Wong, C.;
Solid-State Circuits, IEEE Journal of , Volume: 38 , Issue: 9 , Sept. 2003
Pages:1524 - 1532

[Abstract]   [PDF Full-Text (682 KB)]   IEEE JNL

---

15 A 2.2-mW CMOS bandpass continuous-time multibit /spl Delta/-/s
Sigma/ ADC with 68 dB of dynamic range and 1-MHz bandwidth for
wireless applications
Kappes, M.S.;
Solid-State Circuits, IEEE Journal of , Volume: 38 , Issue: 7 , July 2003
Pages:1098 - 1104

[Abstract]   [PDF Full-Text (531 KB)]   IEEE JNL

---

1 2 Next

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account |
New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online
Publications | Help | FAQ| Terms | Back to Top

Your search matched **25** of **1138071** documents.
A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:
You may refine your search by editing the current search expression or enteri
new one in the text box.

| (delta<near/1>sigma)<and>(bandpass or bpf)<and>c | Search |

☐ Check to search within this result set

Results Key:
JNL = Journal or Magazine   **CNF** = Conference   **STD** = Standard

---

16 **Experimental demonstration of superconducting bandpass delta-si¿ modulator**
Bulzacchelli, J.F.; Hae-Seung Lee; Misewich, J.A.; Ketchen, M.B.;
Applied Superconductivity, IEEE Transactions on , Volume: 13 , Issue: 2 , Jun 2003
Pages:471 - 476

[Abstract]   [PDF Full-Text (423 KB)]   **IEEE JNL**

---

17 **A 80-MHz bandpass $\Delta\Sigma$ modulator for a 100-MHz IF receiver**
Salo, T.; Lindfors, S.; Halonen, K.A.I.;
Solid-State Circuits, IEEE Journal of , Volume: 37 , Issue: 7 , July 2002
Pages:798 - 808

[Abstract]   [PDF Full-Text (393 KB)]   **IEEE JNL**

---

18 **A double-sampling pseudo-two-path bandpass $\Delta\Sigma$ modulator**
Shen-Iuan Liu; Chien-Hung Kuo; Ruey-Yuan Tsai; Jingshown Wu;
Solid-State Circuits, IEEE Journal of , Volume: 35 , Issue: 2 , Feb. 2000
Pages:276 - 280

[Abstract]   [PDF Full-Text (124 KB)]   **IEEE JNL**

---

19 **Bandpass $\Sigma\Delta$ modulator employing undersampling of RF signals for wireless communication**
Hussein, A.I.; Kuhn, W.B.;
Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactic
[see also Circuits and Systems II: Express Briefs, IEEE Transactions on] , Volι
47 , Issue: 7 , July 2000
Pages:614 - 620

[Abstract]   [PDF Full-Text (176 KB)]   IEEE JNL

---

20 A 160-MHz fourth-order double-sampled SC bandpass sigma-delta modulator
Bazarjani, S.; Snelgrove, W.M.;
Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactic
[see also Circuits and Systems II: Express Briefs, IEEE Transactions on] , Volι
45 , Issue: 5 , May 1998
Pages:547 - 555

[Abstract]   [PDF Full-Text (256 KB)]   IEEE JNL

---

21 A two-path bandpass ΣΔ modulator for digital IF extraction at 20 M
Ong, A.K.; Wooley, B.A.;
Solid-State Circuits, IEEE Journal of , Volume: 32 , Issue: 12 , Dec. 1997
Pages:1920 - 1934

[Abstract]   [PDF Full-Text (336 KB)]   IEEE JNL

---

22 A 40 MHz IF fourth-order double-sampled SC bandpass ΣΔ modulat
Bazarjani, S.; Snelgrove, M.;
Circuits and Systems, 1997. ISCAS '97., Proceedings of 1997 IEEE Internatior
Symposium on , Volume: 1 , 9-12 June 1997
Pages:73 - 76 vol.1

[Abstract]   [PDF Full-Text (352 KB)]   IEEE CNF

---

23 A 320-MHz four-paths bandpass sigma-delta modulator
Centuori, A.; Gatti, U.; Malcovati, P.; Maloberti, F.;
Instrumentation and Measurement Technology Conference, 2002. IMTC/2002.
Proceedings of the 19th IEEE , Volume: 1 , 21-23 May 2002
Pages:497 - 500 vol.1

[Abstract]   [PDF Full-Text (386 KB)]   IEEE CNF

---

24 Chip design of a bandpass sigma-delta modulator
Sau-Mou Wu; Rou-Yi Liu; Wei Wu; Che-Pin Chen;
Electronics, Circuits and Systems, 2001. ICECS 2001. The 8th IEEE Internatio
Conference on , Volume: 3 , 2-5 Sept. 2001
Pages:1375 - 1378 vol.3

[Abstract]   [PDF Full-Text (224 KB)]   IEEE CNF

---

25 A 15 b 30 kHz bandpass sigma-delta modulator
Longo, L.; Horng, B.-R.;
Solid-State Circuits Conference, 1993. Digest of Technical Papers. 40th ISSCC
1993 IEEE International , 24-26 Feb. 1993
Pages:226 - 227, 293

[Abstract]   [PDF Full-Text (636 KB)]   IEEE CNF

10/789,681

BRS	S1	1488	341/143.ccls.	US-PGPUB; USPAT	17-Mar-05
BRS	S2	13	S1 and mirror adj1 image	US-PGPUB; USPAT	16-Mar-05
BRS	S3	4	S1 and (rtz or rz) near2 dac	US-PGPUB; USPAT	16-Mar-05
BRS	S4	5	S1 and (band adj1 pass adj1 filter or bpf) near5 center near5 frequency	US-PGPUB; USPAT	16-Mar-05
BRS	S5	1492	341/143.ccls.	US-PGPUB; USPAT	17-Mar-05
BRS	S6	1687	341/143.ccls.	US-PGPUB; USPAT; EPO; JPO	17-Mar-05
BRS	S7	45	S6 and filter same (center near2 frequency)	US-PGPUB; USPAT; EPO; JPO	17-Mar-05
BRS	S8	0	S6 and sideband same mirror adj1 image	US-PGPUB; USPAT; EPO; JPO	17-Mar-05
BRS	S9	1687	341/143.ccls.	US-PGPUB; USPAT; EPO; JPO	17-Mar-05
BRS	S10	53	S9 and (return adj2 zero or rz or rtz)	US-PGPUB; USPAT; EPO; JPO	17-Mar-05
BRS	S11	10	S10 and bandpass	US-PGPUB; USPAT; EPO; JPO	17-Mar-05
BRS	S12	3	S9 and (return adj2 zero or rz or rtz) and (center near2 frequency)	US-PGPUB; USPAT; EPO; JPO	17-Mar-05